## **Di-electron Widths** of the $\Upsilon(1S, 2S, 3S)$ Resonances

## J. Pivarski

Cornell University, Ithaca, New York 14853

**Abstract.** We determine the di-electron widths of the  $\Upsilon(1S)$ ,  $\Upsilon(2S)$ , and  $\Upsilon(3S)$  resonances with better than 2% precision by integrating the cross-section of  $e^+e^- \to \Upsilon$  over the  $e^+e^-$  center-of-mass energy. Using  $e^+e^-$  energy scans of the  $\Upsilon$  resonances at the Cornell Electron Storage Ring and measuring  $\Upsilon$  production with the CLEO detector, we find di-electron widths of  $1.252 \pm 0.004$  ( $\sigma_{\text{Stat}}$ )  $\pm 0.019$  ( $\sigma_{\text{Syst}}$ ) keV,  $0.581 \pm 0.004 \pm 0.009$  keV, and  $0.413 \pm 0.004 \pm 0.006$  keV for the  $\Upsilon(1S)$ ,  $\Upsilon(2S)$ , and  $\Upsilon(3S)$ , respectively.

**Keywords:** Upsilon bottomonium di-electron di-lepton partial width resonance scan

PACS: 14.40.Nd, 12.20.Fv, 13.25.Gv

The widths of the  $\Upsilon$  mesons,  $b\bar{b}$  bound states discovered in 1977 [1], are related to the quark-antiquark spatial wave function at the origin [2]. Recently, these widths have been recognized as a testing ground for QCD lattice gauge theory calculations [3]. Improvements in the lattice calculations, such as the avoidance of the quenched approximation [4], provide an incentive for more accurate experimental tests. The di-electron widths  $(\Gamma_{ee})$  of the  $\Upsilon(1S)$ ,  $\Upsilon(2S)$ , and  $\Upsilon(3S)$  have previously been measured with precisions of 2.2%, 4.2%, and 9.4%, respectively [5]. Validation of the lattice calculations at an accuracy of a few percent will increase confidence in similar calculations used to extract important weak-interaction parameters from data. In particular,  $\Gamma_{ee}$  and  $f_D$  [6] provide complementary tests of the calculation of  $f_B$ , which is used to determine the CKM parameter  $V_{td}$ .

At PANIC05, we presented preliminary measurements of  $\Gamma_{ee}$  which have since been supplanted by public final results, available in [7]. This reference covers the same experimental issues as our presentation. More detail will soon be available in [8]. The theoretical lattice prediction we referred to in our presentation has since been published in [3] (near the end). To avoid repetition, we refer the reader to these documents.

## **REFERENCES**

- 1. S.W. Herb et al., Phys. Rev. Lett. 39, 252 (1977).
- 2. R. Van Royen and V.F. Weisskopf, Nuovo Cim. A 50, 617 (1967) [Erratum ibid. 51, 583 (1967)].
- 3. A. Gray, I. Allison, C. T. H. Davies, E. Gulez, G. P. Lepage, J. Shigemitsu and M. Wingate, Phys. Rev. D 72, 094507 (2005).
- 4. C.T.H. Davies et al. (HPQCD Collaboration), Phys. Rev. Lett. 92, 022001 (2004).
- 5. S. Eidelman et al. (Particle Data Group), Phys. Lett. B 592, 1 (2004).
- 6. M. Artuso et al. (CLEO Collaboration), Phys. Rev. Lett. 95, 251801 (2005).
- 7. J. L. Rosner [CLEO Collaboration], arXiv:hep-ex/0512056.
- 8. J. Pivarski, Cornell University, Ph.D. thesis (unpublished).